Journal of Immuological Methods, 97 (1987) 288–290
Elsevier

Contents to volume 97 (1987)

Number 1 – 26 February 1987

Research reports

Immunoaffinity chromatography utilizing monoclonal antibodies – Factors which influence antigen-binding capacity (JIM 04219)
N.E. Pfeiffer, D.E. Wylie and S.M. Schuster (U.S.A.) 1

Use of a liquid cell culture assay to quantify the elimination of Burkitt lymphoma cells from the bone marrow (JIM 04222)
I. Philip, M.C. Favrot and T. Philip (France) 11

A sensitive micro-immunoassay using β-galactosidase/anti-β-galactosidase complexes (JIM 04221)
H. Durbin and W.F. Bodmer (U.K.) 19

Growth of human × human hybridomas in protein-free medium supplemented with ethanolamine (JIM 04224)
S.P.C. Cole, E.H. Vreeken, S.E.L. Mirski and B.G. Campling (Canada) 29

Enumeration of lymphocyte subpopulations by immunofluorescent staining of whole blood smears (JIM 04220)
P.E. Lovat, A.C. Hannam-Harris and J.G. Watson (U.K.) 37

Highly sensitive enzyme immunoassays for β-nerve growth factor (JIM 04226)
L. Lärkfors and T. Ebendal (Sweden) 41

Solid-phase radioimmunoassay for the measurement of surface antigens expressed on intact lymphocytes (JIM 04225)
S. Savion, Y. Sharabi and J. Shoham (Israel) 49

A sensitive method for testing the effect of immunoglobulin binding factor on Ig secretion by hybridoma B cells (JIM 04227)
S. Amigorena, J. Moncuit, W.H. Fridman and J.L. Teillaud (France) 57

Use of protein G for preparation and characterization of rabbit antibodies against rat adipose tissue hormone-sensitive lipase (JIM 04228)
G. Fredrikson, S. Nilsson, H. Olsson, L. Björck, B. Åkerström and P. Belfrage (Sweden) 65

Isolation of decay accelerating factor (DAF) by a two-step procedure and determination of its N-terminal sequence (JIM 04230)
M.A. Davitz, D. Schlesinger and V. Nussenzweig (U.S.A.) 71

A monoclonal antibody enzyme immunoassay for the detection of epitopes encoded by the pre-S2 region of the hepatitis B virus genome (JIM 04232)
A. Budkowska, P. Dubreuil, M.-M. Riottot, M.-J. Briantais and J. Pillot (France) 77

Improved production of high-affinity antisera to progesterone by castration and adrenalectomy of the immunised animals (JIM 04231)
D.M.A. Al-Azawie, G.F. Read, R.F. Walker and D. Riad-Fahmy (U.K.) 87

A specific assay measuring binding of ^{125}I-Gp 120 from HIV to T4$^+$/CD4$^+$ cells (JIM 04229)
K. Lundin, A. Nygren, L.O. Arthur, W.G. Robey, B. Morein, U. Ramstedt, M. Gidlund and H. Wigzell (U.S.A., Sweden) 93

Skin blister immunocytology – A new method to quantify cellular kinetics in vivo (JIM 04234)
R.T. Kenney, S. Rangdaeng and D.M. Scollard (Thailand) 101

Cell cycle kinetics model of LPS-stimulated spleen cells correlates switch region rearrangements with S phase (JIM 04237)
A.L. Kenter and J.V. Watson (U.K.) 111

A one-step isolation procedure for phospholipase A_2-free cobra venom factor by fast protein liquid chromatography (JIM 04233)
C.J. Beukelman, P.C. Aerts, H. Van Dijk and J.M.N. Willers (The Netherlands) 119

Quantitative measurement of T-lymphocyte activation by an enzyme-linked immunosorbent assay (ELISA) detecting interleukin-2 receptor expression (JIM 04235)
J.U. Igietseme and H.B. Herscowitz (U.S.A.) 123

Limiting dilution assays – Experimental design and statistical analysis (JIM 04238)
L.W.G. Strijbosch, W.A. Buurman, R.J.M.M. Does, P.H. Zinken and G. Groenewegen (The Netherlands) 133

A solid-phase radioimmunoassay using digitonin-permeabilized cells to screen surface or intracellular membrane-bound antigens (JIM 04239)
F. Pialot, M. Joseph, J. Gougat and M. Rinaldi (France) 141

289

Book review 147

Announcement 149

Important announcement for contributors 151

Number 2 – 12 March 1987

Research reports

A novel coloured latex test for the detection and identification of more than one antigen (JIM 04205)
S.G. Hadfield, A. Lane and M.B. McIllmurray (U.K.) 153

In vitro proliferation of lymphocytes from cyclophosphamide-pretreated mice immunized with antigen mixed with dimethyl dioctadecyl ammonium bromide (JIM 04246)
B. Ziola, R.H. Smith and L.F. Qualtiere (Canada) 159

Determination of co-expression of activation antigens on proliferating $CD4^+$, $CD4^+CD8^+$ and $CD8^+$ lymphocyte subsets by dual parameter flow cytometry (JIM 04240)
P.C. Creemers (Canada) 165

Preparation and characterization of mast cell cytoplasts (JIM 04245)
D.A. Kennerly (U.S.A.) 173

Studies on the human basophil IgE receptor – Generation and characterization of monoclonal antibodies against the receptor (JIM 04248)
A.A. Miroli and M. Spitz (U.K.) 185

Production of mycoplasma-specific antisera in rabbits immunologically tolerized at birth to mycoplasma medium constituents (JIM 04247)
B.S. Bhogal, P.C.T. Hannan and D. Smith (U.K.) 191

Comparison of antigens and antisera in crossed immunoelectrophoresis by dual dilution (JIM 04241)
H.G. Wiker and M. Harboe (Norway) 201

Lucigenin chemiluminescence in the assessment of neutrophil superoxide production (JIM 04249)
H. Gyllenhammar (Sweden) 209

Human interleukin 2 – Detection at the picomolar level by sandwich enzyme immunoassay (JIM 04250)
B. Ferrua, C. Aussel and M. Fehlmann (France) 215

The effects of adherent cells on measurement of the hyper-responsiveness of rheumatoid B lymphocytes to Epstein-Barr virus (JIM 04251)
V.R. Winrow, J. Norton, J.D. Perry, E.J. Holborow and H.E. Stierle (U.K., F.R.G.) 221

Rapid characterization of protein epitopes recognized by monoclonal antibodies using direct probing on thin-layer and paper chromatograms (JIM 04252)
C.A. Dowse, P.R. Carnegie, B.E. Kemp, H.Z. Sheng, E.V. Grgacic and C.C.A. Bernard (Australia) 229

Production of monoclonal antibodies selective for aggregation-competent chick neural retina cells – An immunosuppressive approach (JIM 04253)
W.A. Thomas (U.S.A.) 237

Application of a microseparation technique allowing for extensive marker studies on small bone marrow specimens (JIM 04254)
W. Kayser, K. Spiegel, N. Schmitz and H. Löffler (F.R.G.) 245

Relative and absolute numbers of human lymphocyte subpopulations – A comparison of immunofluorescence microscopy and flow cytometric methodologies with special reference to precision and reference values (JIM 04255)
E. Kreuzfelder, G. Shen, U. Rodeck, E. König, W. Luboldt, H.-O. Keinecke, N. Brockmeyer and N. Scheiermann (F.R.G.) 251

In vivo eight-day 'MLR' assay – A sensitive and reproducible method to detect simultaneously different organ-specific minor histocompatibility antigens in the mouse (JIM 04257)
C. Spach and R. Motta (France) 259

Comparison of *Candida* killing activity measured by chemiluminescence and cytomorphological methods in human phagocytes (JIM 04256)
I.J. Ballart, M.E. Estevez, R.A. Diez and L. Sen (Argentina) 263

ELISA for measurement of secretory IgA distinct from monomeric IgA (JIM 04260)
G.M. Wood, L.K. Trejdosiewicz and M.S. Losowsky (U.K.) 269

Short communications

A simple method for the production of specific antiserum to protein encoded in cloned genes – Immunization with precipitin lines (JIM 04272)
S.Z. Shapiro and B.E. Kimmel (Kenya) 275

A simple technique for increased sensitivity in immunoelectrophoresis by the use of antiserum against IgG (JIM 04280)
L. Samuelson, R. Öhman and M. Ridell (Sweden) 281

Book reviews 285

Important announcement for contributors 287

Contents to volume 97 (1987) 288

Author index to volume 97 (1987) 291

Key word index to volume 97 (1987) 294